



created from prehistoric plant material

Ful-Power hydrophobic fulvic acid can amplify the effects of other products. Nutrients, supplements and/or other application rates MAY need to be decreased by 10-30% when used with Ful-Power. Watch plants when first adding Ful-Power to your program or changing products, especially if you are a heavy feeder. Ful-Power contains no chemical extractants or nutrients, so any signs of burn or toxicity are from increased penetration of other products being used.

USE OPTIONS

MINIMUM	Spray at the rate of 20 mL per gallon every 5-7 days until the 3rd or 4th week of flowering (when flower clusters are too dense to shed moisture quickly).							
mL/G	ROOT FORMATION 1-2 WEEKS	YOUNG VEG WEEKS 2-4	MATURE VEG ~WEEK 4+	TRANSITION 1 WEEK EITHER SIDE 12:12	FRUIT/FLOWER SET	FRUIT/FLOWER SIZING	FRUIT/FLOWER RIPENING	FLUSH/ RINSE
MODERATE Root Drench	20	10	15	20	30	30	30	30
MAXIMUM Roots/Foliar	30 Root / 20 Foliar	30 Root / 20 Foliar	30 Root / 20 Foliar	30 Root / 20 Foliar	30 Root / 20 Foliar	30 Root / 20 Foliar	30 Root / 20 Foliar	30 Root / 20 Foliar

GROWER TIPS

1. Spray unrooted cuttings with a 30mL/gallon solution to help reduce stress and encourage rooting.
2. Adding Ful-Power to any spray can enhance/amplify the effectiveness of other ingredients of the spray.
3. Soak seeds at 35mL/gal for 24hrs (seeds with thin coatings may only needs 4-12hrs and seeds with thick coatings may need up to 72hrs).



GROW THE WORLD